

09/516122

Cofc



RPT GEM-0276

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,194,065

Issued: March 20, 2007

Name of Patentee: Vladislav Boutenko, et al.

Title of Invention: METHOD AND APPARATUS FOR CONTROL OF EXPOSURE IN RADIOLOGICAL IMAGING SYSTEMS

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))**Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450ATTENTION: Decision and Certificate of Correction  
Branch of the Patent Issue Division**Certificate**  
JUN 04 2007  
**of Correction**

Sir:

It is noted that an error appears in this patent of a typographical nature or character, as more fully described below. The mistake incurred through the fault of the Patent and Trademark Office. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Attached hereto, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

|  |         |
|--|---------|
| I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on |         |
| May 29, 2007<br>(Date of Deposit)  |         |
| Abigail Dejak<br>(Name of Person Mailing Paper)  |         |
| Signature  | Date    |
|  | 5/29/07 |

JUN 14 2007  
JUN 14 2007

The errors appear in the body of the patent: column 1, line 50; column 2, line 37; column 3, lines 20 and 67; and column 5, line 47.

Please send the Certificate of Correction to:

Cantor Colburn LLP  
55 Griffin Road South  
Bloomfield, Connecticut 06002

Patentees believe that no fee is due; however, if there are any additional charges with respect to this request or otherwise, please charge them to Deposit Account No. 06-1130 maintained by Patentees' attorneys.

Respectfully submitted,

CANTOR COLBURN LLP

By: 

David A. Fox  
Registration No. 38,807  
55 Griffin Road South  
Bloomfield, Connecticut 06002  
Telephone: (860) 286-2929  
Customer No.: 023413

Date: May 29, 2007

JUN - 4 2007

JUN - 4 2007

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,194,065  
APPLICATION NO. : 09/516,122  
ISSUE DATE : March 20, 2007  
INVENTOR(S) : Vladislav Boutenko, et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1:

Line 50, after "be", delete "studies" and insert therefor --studied--;

Column 2:

Line 37, insert --The present invention will be better understood by studying the detailed specification of some embodiments taken by way of nonlimitative example and illustrated by the attached drawings, in which: --

Column 3:

Line 20, after "plane", delete "container" and insert therefor --containing--;

Line 67, after "in", delete "this" and insert therefor --that--;

Column 5:

Line 47, after "emission", delete "a".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Cantor Colburn LLP  
55 Griffin Road South  
Bloomfield, CT 06002

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing this form, call 1-800-PTO-9199 and select option 2.

1200-1-4 2007  
1-11-4 2007

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,194,065  
APPLICATION NO. : 09/516,122  
ISSUE DATE : March 20, 2007  
INVENTOR(S) : Vladislav Boutenko, et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1:

Line 50, after "be", delete "studies" and insert therefor --studied--;

Column 2:

Line 37, insert --The present invention will be better understood by studying the detailed specification of some embodiments taken by way of nonlimitative example and illustrated by the attached drawings, in which: --

Column 3:

Line 20, after "plane", delete "container" and insert therefor --containing--;

Line 67, after "in", delete "this" and insert therefor --that--;

Column 5:

Line 47, after "emission", delete "a".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Cantor Colburn LLP  
55 Griffin Road South  
Bloomfield, CT 06002

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing this form, call 1-800-PTO-9199 and select option 2.*

11/11/07